



ALONSO




SOFA:

- 1 - dacron® fiber 100 gr;
- 2 - high resiliency polyurethane foam of different densities;
- 3 - structural frame in firwood;
- 4 - structural frame in MDF;
- 5 - wooden feet;
- 6 - elastic webbing.




POUF:

- 1 - glass top;
- 2 - high resiliency polyurethane foam of different densities;
- 3 - structural frame in firwood and plywood;
- 4 - feet in PVC.


DIMENSIONS:



ALONSO



EXTRA BED:



Fire retardant or standard polyurethane mattress, with two-fold mechanism, h 12 cm, covered with antiallergic polyester lining. High-resistance steel electrowelded mechanism

MECHANISM BED SOFA:


Opening



REMOVE cable ties on the sides before lifting the sleeping deck

Opening folding the bed incorrectly could damage the mechanism

Closing



REMOVE all sheet, blankets and pillows before folding the sofa back up to avoid breaking the mechanism

ALONSO

MATCHING TRIMMINGS:

FANCY STANDARD



FANCY 1 OPTIONAL



FANCY 2 OPTIONAL



FANCY 3 OPTIONAL



FANCY 4



ALONSO

TECHNICAL DETAILS:

Removable cover: PARTIALLY	kg	m ³	mts
ALONSO 1S	34	0.98	SOT DOWN 4.70/SOP UP 3.80
ALONSO 1S ONE ARMREST	30	0.76	SOT DOWN 4.50/SOP UP 7.90
ALONSO 1S NO ARMRESTS	26	0.54	SOT DOWN 4.30/SOP UP 3.30
ALONSO 2S	56	1.45	SOT DOWN 6.00/SOP UP 5.50
ALONSO 2S ONE ARMREST	52	1.23	SOT DOWN 5.80/SOP UP 5.30
ALONSO 2S NO ARMRESTS	48	1.00	SOT DOWN 5.50/SOP UP 5.00
ALONSO 3S	62	1.80	SOT DOWN 7.00/SOP UP 6.80
ALONSO 3S ONE ARMREST	58	1.57	SOT DOWN 6.80/SOP UP 6.50
ALONSO 3S NO ARMRESTS	54	1.35	SOT DOWN 6.50/SOP UP 6.30
ALONSO CORNER	40	1.37	SOT DOWN 5.80/SOP UP 5.30
ALONSO POUF	10	0.32	1.80
ALONSO POUF	10	0.27	2.00
ALONSO POUF	12	0.40	2.30
ALONSO 2S ROUND	82	2.40	SOT DOWN 4.80/SOP UP 6.50
ALONSO 3S ROUND	88	2.92	SOT DOWN 5.50/SOP UP 7.50